

3600 & 9000 operation and maintenance instructions

IMPORTANT!!!!

1. Read instructions thoroughly before operating!!

2. After shipping the unit via courier or after rough handling such as falling off a shelf open cabinet by following step 1 of the cleaning instructions. Check to make sure the center screen of the generator plate has not moved out of place. Once this has been checked the plate rack may be reinstalled and the unit is ready for use.

**CAUTION, THIS OZONE GENERATOR OPERATES AT 4000-5000 VOLTS AC
DISCONNECT POWER BEFORE OPENING TO SERVICE**

SPECIFICATIONS FOR 3600 SERIES ozone generator

Maximum output 3600: (1000mg/hr up gradable to 3600mg/hr) 9000: (2000mg/hr up gradable to 9000mg/hr)
Fan (rated cfm) 105 cfm
Filter 1 Cleanable foam filters
Cabinet material PVC outer cabinet with stainless steel inner chassis
Generation method Corona discharge
Weight and size 3600: 8.7lb / 9000: 11.7lb 21" long x 5 wide x 6 5/8 height (including handle)

INTRODUCTION

This line of ozone generators are designed for various uses at varying output levels. This ozone generator can be used for many uses such as deodorizing cars homes as well as oxidizing many organic contaminants.

WARRANTY

The 3600-9000 is warranted against defects in materials and workmanship for a period of four years from date of purchase. Liability is limited to parts and labor only. Shipping is the sole responsibility the customer. CAMI is not liable for damage caused by shipping, misuse, neglect or lack of regular maintenance.

LIABILITY

CAMI assumes no responsibility for any damage done to items from the use or miss use of any product sold or manufactured by CAMI. It is the customers responsibility to test materials prior to use and to ensure that the procedure and installation technique they are using is correct for the application.

HEALTH AND SAFETY

Ozone can be an irritant and a powerful oxidizing agent. As with most all products, ozone is dangerous only when used improperly, as such it is important to follow safe usage guide lines.

When doing a shock treatment, no people plants or pets/animals may be in the room when the unit is running.
The room should not be reentered until all ozone has been depleted unless proper breathing respirators are used.

MAINTENANCE FREQUENCY

Under heavy duty use or severely polluted areas, The ozone generator should be inspected and cleaned if necessary every 2 to 3 weeks for fine dust or oily residue collecting on generator surfaces or plates. Light duty use requires cleaning every 2 to 6 months depending on the severity of pollution and the humidity level of the feed air. In dirty and humid conditions cleaning can be as often as 2-4 weeks.

DESCRIPTION OF OZONE GENERATOR

These ozone generators produce ozone by corona discharge, converting normal oxygen to ozone gas which is a very strong oxidizing agent used to destroy odors and other organic contaminants. The model 3600 comes from the factory with 1 plate, producing up to 1000mg/hr, and can be up graded by adding as many as 4 additional plates to a max of 3600mg/hr. The model 9000 comes from the factory with 2 plate, producing up to 2000mg/hr, and can be up graded by adding as many as 8 additional plates to a max of 9000mg/hr.

PLACEMENT OF UNIT

This ozone generator is designed as a portable commercial deodorizing device. It uses 120VAC for North America, and 220-240VAC for European countries etc. European models come with an IEC connector and it is up to the customer to supply the proper cord (this can be acquired at any computer shop).

Please note the following points when placing the unit.

- Place on a flat solid surface such as a table or shelf. Do not place on rug flooring to reduce dust entering the unit
- Do not place in an area where the unit could be splashed with water, moisture or in an area that it could get flooded with water.
- Ensure that the unit gets proper fresh air flow. Do not obstruct the incoming or outgoing air from the unit.
- DO NOT USE IN VICINITY OF COMBUSTIBLE GASSES!!
- Humidity levels higher than 75% should be avoided as it will cause the unit to wear excessively fast and will require cleaning much more often.
- If used in temperatures below freezing, ensure that condensation inside the unit does not occur.
- Set the unit in an area where it will provide the best ozone distribution.
- The use of circulation fan will greatly increase the efficiency of the treatment.
- If the ozone generator being used is large enough to treat the whole house, the air handling system can be used to distribute the ozone, just point the ozone generator into the return air duct.

3600 - 10,000 new design

(plate removal instructions)

You have received the new -3600, 5000, 9,000 or 10,000.


1. The new hose connector/end cap is much stronger and has an ozone resistant silicone seal. The cap is removed the same way as the original model, by removing 2 screws.




2. The generator plate rack is secured by two screws that are located inside the unit behind the end cap instead of on the bottom as indicated in the original manual.




3. The plate rack is removed by lifting it up and pulling it out.



4. The plates are held in place by a bar that is held in place by a wing nut, the HV contact bar is also held down by 2 wing nuts, remove these three wing nuts.





5. Once the bar and contact bracket are removed, remove the plates by lifting them straight up as shown.



6. Next refer to the plate cleaning instructions.


PLEASE ENSURE THAT ALL PARTS ARE COMPLETELY DRY PRIOR TO RE ASSEMBLY!

7. Reinstall plates by first using a screw driver to separate the tight ring springs as shown. Then slip the plate in between the springs, making sure that the spring does not go up in the middle of the plate as shown.



8. Re install the plate hold down bar as shown in the step 4 picture. Re install the HV clamp making sure that all the HV wires from the plates are clamped tight.

9. Please note that when re installing the plate rack, the front of it must fit under the screws indicated in the diagram.





10. Replace the plate rack, reinstall the screws that hold the rack in place and reinstall the end cap and screws.




11. To access the filter remove the end cap at the air input end of the ozone generator in the same way the output cap was removed in step one. The filter may be washed with soapy water or replaced with a new filter available thru your CAMI supplier. If another brand of filter is used please ensure that it has good air flow or else the ozone generator could overheat due to lack of cooling.

PRO 3400, 3600, 5000, 9000, & 10000 plates cleaning instructions

1. Please familiarize yourself with how the plate is assembled prior to disassembling.
Remove outer screen, as shown.



2. Disassemble all part as shown





3. Take mica and stainless screens and clean in the sink using dish soap and an old toothbrush. If the plates have not been cleaned for a long time, it is important to use the tooth brush to help remove the flaking mica. Rinse with clean clear water.



4. If the generator needs to be put back in service immediately you will need an oven or other source of heat to dry the mica and screens. If using an oven set the temperature at about 200° F and place the mica and screens on the middle rack for approximately 1-2 hours.
If there is no rush or you do not have access to an oven, place the mica and screens in a very warm dry place such as on an operating base board heater to dry overnight, or if it must air dry leave it dry for several days with good air flow .

5. Once all the Mica and screens are dry re assemble by placing one mica in your hand, then place the inner screen square in the center of the mica. Place the second mica on top of the inner screen and then re install the folded outer screen , as shown.



6. When all plates are clean, dry, and re assembled refer back to the plate removal instructions for instructions on re installing the plates.